



AD INFO – TECHNICAL INFORMATIONS

1 Aerodrome:

Public, Airport CIV

2 Location:

0.5 NM E Samedan

3 Aerodrome reference temperature:

17,8° C

4 OPR hours:

0800 LT - HR* (HR* VFG RAC 1-1) but not later than 1900 LT

5 AD-Operator:

Engadin Airport Piazza Aviatica 2, 7503 Samedan

6 AFTN:

LSZSYDYX, LSZSZPZX, LSZSZTZX (for PLN)

7 TEL NR:

0041 (0) 81 851 08 51

0041 (0) 81 851 08 59 FAX

ATIS 0041(0) 81 834 93 24

info@engadin-airport.ch

www.engadin-airport.ch

8 Ground services:

Limited hangar space available for visiting ACFT by prior arrangement only, contact Engadin Airport AG.

Ground handling agent for general aviation Engadin Airport AG. JET A1, AVGAS 100L. No defueling available.

Fire Protection

- Category: 2; Category 3-4; O/R FLT 3 HR before ETA/ETD; Category 5-6: O/R

9 Customs:

During AD OPR hours

10 Local flying restrictions and remarks

10.1

PAPI 03 light beam offset 5° west from runway axis. ICAO obstacle protection surface penetrated by the hill between reporting point W and THR 03.

PAPI 21 light beam offset 5° east from runway axis.

10.2

AD CLSD for fix wing ACFT with APCH CAT B and higher if VIS below 5 km or ceiling below 2200 ft AGL.
Further INFO by ATIS 136.000 MHz and Tel. Nr.: 0041 (0) 834 93 24.

10.3 15 OCT – 15 APR:

It is indispensable to inquire about RWY conditions (SNOWTAM, ATIS, or Tel.)

10.4 08 DEC- APR 14

Limited aprons during winter period for general aviation ACFT up to 4 t MTOM. Apron is mostly reserved for ACFT of commercial air TFC as well as for general aviation ACFT with over 4 t MTOM. ACFT up to 4 t MTOM will be placed on the limited AVBL frozen snow PRKG. Ground time of more than 60 min cannot be guaranteed for this reason. For longer ground time it is urgently recommended to inquire about expected PRKG possibilities by AP Authority one day before planned FLT.

Corresponding inquiries have to contain

- Applicant
- Date of ARR and DEP
- Call sign
- ACFT type
- ETA LSZS UTC
- EOBT LSZS UTC

and shall be addressed to Engadin Airport, 7503 Samedan, Tel: 0041(0) 81 851 08 51. Modifications and cancellations of already coordinated FLT shall be immediately notified.

10.5 GLD ACT: MAY - OCT

CTN: Car moving W of RWY 03/21.

10.6

Local flights of less than 20 min duration on SAT/SUN/HOL and daily between 1200 and 1400 LT as well as touch-and-go landings on SUN/HOL and daily between 1200 and 1400LT are prohibited.

10.7 Noise Abatement Measures for JET/Turboprop ACFT

For deceleration it is recommended to use the entire RWY LEN AVBL. Reverse thrust may be used for safety or operational reasons only.

APU shall be started earliest 30 min before EOBT and shall be shut off latest 15 Min after reaching parking position.

10.8

ACFT of the noise category A (VFR AGA 3-0 APP A oder AIP GEN 4.1 Appendix B) are not allowed; special permissions only possible for air displays.

10.9

For ACFT of the noise category B (VFR AGA 3-0 APP A oder AIP GEN 4.1 Appendix B) only 1 take-off or 1 landing

is permitted between 1200 and 1400 LT.

10.10

ACFT of the noise category I, II & III (AIP GEN 4.1 Appendix A) are only allowed with special permission; requests must be forwarded to the airport authority at least 24 h in advance.

10.11 AD in mountainous area:

Familiarization mandatory.

Pilots must be qualified to operate at LSZS according to the following prerequisites:

QUALIFICATION – CURRENCY – REQUALIFICATION

10.12 High visibility jackets and crew ID badge

All persons walking on the airport movement area (including crew during outside check) must wear a high visibility jacket which complies with EN 471 class 2 or 3. All crew members must visibly display their crew ID badge or airport badge and shall produce it if airport control agents so demand.

11 ATS:

ATIS: HO

AFIS: HO

12 Hand corrections VAC 15:

please check official AIP